EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	276	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:41
L2	275985	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and send$4 or transmit$4 near15 (client$1 or device$1 or user$1) near (id$1 or identifier$1) near10 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:29
L3	1	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and (send$4 or transmit$4) near15 (client$1 or device$1 or user$1) near (id$1 or identifier$1) near10 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:30
L4	1	(@ad<"20030912" or @rlad<"20030912") and (send$4 or transmit$4) near15 (client$1 or device$1 or user$1) near (id$1 or identifier$1) near10 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:30
L5	21	(@ad<"20030912" or @rlad<"20030912") and (client$1 or device$1 or user$1) near10 (identif$6) near10 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:33
L6	31	(@ad<"20030912" or @rlad<"20030912") and (client$1 or device$1 or user$1) near10 (identif$6 or id$1) near10 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:34
L7	7	(@ad<"20030912" or @rlad<"20030912") and (client$1 or device$1 or user$1) near10 (identif$6 or id$1) near10 (instant near messag$4) near server and advertis$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:35

L8	5	(@ad<"20030912" or @rlad<"20030912") and (client$1 or device$1 or user$1) near10 (identif$6 or id$1) near10 (instant near messag$4) near server and advertis$6 and (location$1 or geographic$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:35
L9	36	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) near15 (instant near messag$4) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:42
L10	0	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) near15 (instant near messag$4) near server and proximit$4 near3 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:46
L11	0	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and(instant near messag$4) near server and proximit$4 near3 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:46
L12	1	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and(instant near messag$4) near server and proximit$4 near10 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:51
L13	1	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and(instant near messag$4) near server and proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:54
L14	62	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and (instant near messag$4) near server and map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:50

L15	19	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and (instant near messag$4) near server and map near15 (location$1 or geographic$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:50
L16	5	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same (instant near messag$4) near server and map near15 (location$1 or geographic$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:50
L17	7	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and (instant near messag$4) and proximit$4 near10 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:52
L18	7	(@ad<"20030912" or @rlad<"20030912") and (instant near messag$4) and proximit$4 near10 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:52
L19	786	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) and proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:54
L20	410	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:59
L21	6	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4)near15 mobile same proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:54

L22	0	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4)near15 im same proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:59
L23	0	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4)near15 chat$4 same proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 13:59
L24	4	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same proximit$4 near15 map same (chat$4 or messag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 14:09
L25	410	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same proximit$4 near15 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 14:01
L26	17	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same proximit$4 near15 map and instant near messag$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 14:01
L27	134	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same map same (chat$4 or budd$4 or im or (instant near messag$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 14:42
L28	17	(@ad<"20030912" or @rlad<"20030912") and (location$1 or geographic$4) same map same (chat$4 or budd$4 or im or (instant near messag$4))same (close or nearby or proxim$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:01

L29	10	(@ad<"20030912" or @rlad<"20030912") and (instant near messag$4) near server near15 (ad$1 or advertis$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:02
L30	0	(@ad<"20030912" or @rlad<"20030912") and (instant near messag$4) near server near15 (ad$1 or advertis$6)same (geographic$4 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:03
L31	2	(@ad<"20030912" or @rlad<"20030912") and (instant near messag$4) near server near15 (ad$1 or advertis$6)and (geographic$4 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:10
L32	11	(@ad<"20030912" or @rlad<"20030912") and ((instant near messag$4) or im) near server near15 (ad$1 or advertis$6)and (geographic$4 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:11
L33	6	(@ad<"20030912" or @rlad<"20030912") and ((instant near messag$4) or im) near server near15 (banner$1 or advertis$6)and (geographic$4 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:13
L34	2	(@ad<"20030912" or @rlad<"20030912") and "20030036949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:14
L35	1	(@ad<"20030912" or @rlad<"20030912") and "20030036949" and server$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:26

L36	1497	(@ad<"20030912" or @rlad<"20030912") and (match$4 or compar$4) near15 MAC near2 address$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:26
L37	152084	(@ad<"20030912" or @rlad<"20030912") and (match$4 or compar$4) near15 MAC near2 address$2 near15 request or quer$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:27
L38	122	(@ad<"20030912" or @rlad<"20030912") and (match$4 or compar$4) near15 MAC near2 address$2 near15 (request or quer$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:27
L39	13	(@ad<"20030912" or @rlad<"20030912") and (match$4 or compar$4) near15 MAC near2 source near2 address$2 near15 (request or quer$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:36
L40	85	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 (advertis$6 or ads) near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:39
L41	66	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 (advertis$6 or ads) near server and (tranmsit$4 or send$4) near15 (advertis$6 or ads)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:42
L42	3	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 (advertis$6 or ads) near server and (tranmsit$4 or send$4) near15 (advertis$6 or ads) and instant near messag$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:41

L43	66	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 advertis$6 near server and (tranmsit$4 or send$4) near15 (advertis$6 or ads)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:43
L44	66	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 advertis$6 near server and (tranmsit$4 or send$4) near15 (advertis$6 or banner$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:43
L45	17	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 mobile near15 advertis$6 near server and (tranmsit$4 or send$4) near15 (advertis$6 or banner$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:49
L46	21	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 mobile near15 advertis$6 near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:49
L47	4	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 mobile near15 advertis$6 near server not l45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:52
L48	4	(@ad<"20030912" or @rlad<"20030912") and (transmit$4 or send$4) near15 (geographic$4 or location$1) near15 mobile near15 advertis$6 near server and (advertis$6 or ad$1 or banner$1) not l45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 15:53